



HAYDEN MEDICAL

Surgical Instruments

Dermatology
Podiatry Catalog

Ver. 3

Company Message

Hayden Medical is your source for high quality German stainless steel surgical instruments. We have 50+ years of combined surgical instrument experience. Our instrument patterns and craftsmanship compliment your expertise in providing the excellent results you create and your patients expect. We are happy to personalize your instruments at no charge with our laser marking system. Try Hayden Instruments today and see for yourself how Hayden's precision instruments and excellent customer service can benefit your practice or clinic.



Tom Ocasek
Logistics Manager

Hayden Clelland
VP Sales & Marketing

Scott Clelland
Founder, CEO

RETURNED GOODS POLICY

All returns must be accompanied by a Return Goods Authorization number, available by calling our Customer Service Department.



The following information is needed to request authorization for a return.

- Reason for return
- Date of purchase
- Invoice or PO number
- Product number and size
- Quantity to return

All authorized returns must be made within thirty (30) days of the invoice date and accompanied by the appropriate purchase order number and Returned Goods Authorization number.

Allowable schedule for authorized return.

- Products processed in error by Hayden Medical will be credited in full
- Defective product will be credited in full
- Unless defective or shipped in error, any return accepted is subject to up to a 25% restocking fee (minimum of \$10.00)
- All returned items are subject to Hayden Medical inspection and acceptance
- Product must be shipped prepaid

Non-returnable, other than for manufacturing defect.


- Engraved instruments or instruments etched or labeled by the hospital
- Products damaged beyond repair or refurbishment or not in saleable condition


- Instruments returned more than thirty (30) days after invoice date
- Custom, laser marked, special or modified items
- Disposable items

Used products must be returned sterile wrapped or they will not be accepted.

Send all Returns to:

19425 Soledad Cyn. Road,
#411
Santa Clarita, CA 91351





General Instruments

Needle Holders

Webster stainless steel

Length	Serrated	Smooth
5" (12.5cm)	160-060	160-070



tungsten carbide

Length	Serrated	Smooth
5" (12.5cm)	520-060	520-070

Halsey stainless steel

Length	Serrated	Smooth
5" (12.5cm)	160-075	160-080



tungsten carbide

Length	Serrated	Smooth
5" (12.5cm)	520-075	520-080

Baby Webster | delicate stainless steel

Length	Smooth
5" (12.5cm)	160-065



tungsten carbide

Length	Serrated	Smooth
4-3/4" (12cm)	520-040	520-042

Derf stainless steel

Length	Serrated	Smooth
4-3/4" (12cm)	160-004	160-004L



tungsten carbide

Length	Serrated
4-3/4" (12cm)	520-004

Needle Holders

Olsen-Hegar | scissors/needle holder combo
stainless steel

Length	Serrated	Smooth
4-3/4" (12cm)	160-014	160-013
5-1/2" (14cm)	160-015	



tungsten carbide

Length	Serrated	Smooth
4-3/4" (12cm)	520-912	520-913
5-1/2" (14cm)	520-914	

Mayo-Hegar
stainless steel

Length	Serrated
5-1/2" (14cm)	160-042
6-1/4" (15.5cm)	160-044



tungsten carbide

Length	Serrated
5-1/2" (14cm)	520-314
6-1/4" (15.5cm)	520-316

Baumgartner
stainless steel

Length	Serrated
5-1/2" (13.8cm)	160-040




tungsten carbide

Length	Serrated
5-1/2" (13.8cm)	520-090

Castroviejo | 5-1/2" (14cm)
stainless steel

Model	Description
091-820	straight, smooth, without lock
091-828	straight, smooth, with lock
091-824	curved, smooth, without lock
091-832	curved, smooth, with lock




tungsten carbide


Model	Description
091-828TC	straight, smooth, with lock
091-829TC	straight, serrated, with lock
091-832TC	curved, smooth, with lock
091-833TC	curved, serrated with lock



Adson Forceps



120-134



Adson Forceps | stainless steel

Model	Length	Description
120-113	4-3/4" (12cm)	dressing, serrated, 1mm delicate
120-117	4-3/4" (12cm)	dressing, serrated, 1.4mm standard
120-133	4-3/4" (12cm)	tissue, 1x2 teeth, 1mm delicate
120-134	4-3/4" (12cm)	tissue, 1x2 teeth, 1.4mm standard
120-134XL	4-3/4" (12cm)	tissue, 1x2 teeth, 1.4mm lightweight


Model	Length	Description
120-138FT	4-3/4" (12cm)	tissue, 1x2 teeth, serrated platform, 1.4mm standard
120-134XL	4-3/4" (12cm)	tissue, 1x2 teeth, smooth platform, 1.4mm fenestrated
120-139	4-3/4" (12cm)	tissue, 1x2 teeth, smooth platform, 1mm delicate
120-134FT	4-3/4" (12cm)	tissue, 1x2 teeth, smooth platform, 0.6mm micro
120-124B	4-3/4" (12cm)	Adson Brown, straight tip, 8x8 teeth
120-128	6" (15cm)	Adson Brown, straight tip, 11x11 teeth




120-124B
120-128

Adson Forceps | lightweight

Model	Length	Description
120-134XL	4-3/4" (12cm)	tissue, 1x2 teeth, 1.4mm lightweight



120-134XL



540-139F

Adson Forceps | tungsten carbide

Model	Length	Description
540-124	4-3/4" (12cm)	Adson Brown, straight tip, 3x3 teeth
540-116	4-3/4" (12cm)	dressing, smooth, 1.4mm standard
540-117	4-3/4" (12cm)	dressing, serrated, 1.4mm standard
540-140	6" (15cm)	dressing, serrated, 1.4mm standard

Model	Length	Description
540-136	4-3/4" (12cm)	tissue, 1x2 teeth, serrated platform, 1.4mm standard
540-139F	4-3/4" (12cm)	tissue, 1x2 teeth, serrated platform, 1mm delicate
540-141	6" (15cm)	tissue, 1x2 teeth, serrated platform, 1.4mm standard



540-124

Forceps



Castroviejo-Brown Forceps | 4" (10cm)

Model	Description
120-126	7x7 teeth



Graefe Forceps | 2-3/4" (7cm)

1mm wide tip

Description	Straight	Curved
dressing, serrated	120-814	120-818
tissue, 1x2 teeth	120-816	120-820



Bishop-Harmon Suture Forceps | 3-3/8" (8.5cm)

Model	Description
120-866	.5mm, serrated
120-865	.6mm, 1x2 teeth with tying platform
120-868	.7mm, 1x2 teeth
120-869	.9mm, 1x2 teeth



with tying platform



Barraquer Cilia & Suture Forceps | 4-1/2" (11.3cm)

Model	Description
120-984	straight, smooth



Iris (Graefe) Forceps | 4" (10cm)

tissue, 1x2 teeth

Tip Width	Straight	Half Curve	Full Curve
.5mm, delicate	120-786	120-788	120-790
.8mm, standard	120-785	120-787	120-789

dressing, serrated

Tip Width	Straight	Half Curve	Full Curve
.5mm, delicate	120-780	120-782	120-784
.8mm, standard	120-779	120-781	120-783



Littauer Cilia Forceps | 3-3/4" (9.5cm)

Model	Description
120-985	straight
120-986	oblique



Swiss Cilia Forceps | 3-3/4" (9.5cm)

Model	Description
120-987	oblique

Forceps



Dressing Forceps | serrated standard pattern

Model	Length	Description
120-002	4" (10cm)	serrated
120-004	4-1/2" (11.5cm)	serrated
120-006	5" (12.5cm)	serrated
120-008	5-1/2" (14cm)	serrated
120-010	6" (15cm)	serrated



Tissue (Pick-up) Forceps | 1x2 teeth standard pattern

Model	Length	Description
120-040	4-1/2" (10.5cm)	1x2 teeth
120-042	5" (12.5cm)	1x2 teeth
120-044	5-1/2" (14cm)	1x2 teeth
120-046	6" (15cm)	1x2 teeth



DeBakey Tissue Forceps atraumatic


Length	1.5mm wide	2mm wide
6" (15mm)	120-510	120-520



Jeweler Forceps


Model	Length	Description
120-989	4-3/4" (12cm)	#1, fine
120-990	4-3/4" (12cm)	#2, fine, strong
120-991	4-3/4" (12cm)	#3, narrow, fine
120-992	4-3/8" (11cm)	#3, narrow, fine
120-993	4-3/4" (12cm)	#3, micro, fine
120-994	4-3/8" (11cm)	#4, fine
120-995	4-3/8" (11cm)	#5, super fine
120-996	4-3/8" (11cm)	#5, micro fine
120-997	4-1/2" (11.5cm)	#6, angled pick-up
120-998	4-1/2" (11.5cm)	#7, fine, curved
120-999	4-1/2" (11.5cm)	#7, micro fine, curved

Hemostats



Hartman Mosquito | 4" (10cm)

Model	Description
140-024	straight
140-026	curved
140-025	straight, delicate
140-027	curved, delicate
140-028	straight, 1x2 teeth
140-029	curved, 1x2 teeth




Halsted Mosquito | 5" (12.5cm)

Model	Description
140-002	straight
140-004	curved
140-008	straight, delicate
140-010	curved, delicate
140-014	straight, 1x2 teeth
140-016	curved, 1x2 teeth

Backhaus Towel Clamp

Model	Description
140-504	3-1/2" (9cm)
140-506	5-1/4" (13.5cm)




Lorna (Edna) Towel Clamp non-perforating

Model	Description
140-514	3-1/2" (9cm)




Kelly (Kelly-Rankin)

Model	Description
140-036	straight, 5-1/2" (14cm)
140-038	curved, 5-1/2" (14cm)
140-037	straight, 6-1/4" (15.5cm)
140-039	curved, 6-1/4" (15.5cm)



Iris Scissors



Iris Scissors | stainless steel

Length	Straight	Curved
4-1/2" (11.5cm)	100-304	100-306



Iris Scissors | super-cut

Length	Straight	Curved
4-1/2" (11.5cm)	100-304SC	100-306SC



Iris Scissors | tungsten carbide

Length	Straight	Curved
4-1/2" (11.5cm)	500-304	500-306



Iris Scissors | ceramic coated

Length	Straight	Curved
4-1/2" (11.5cm)	100-304SCK	100-306SCK

Ceramic coated surface significantly extends durability with a harder non-reflective surface that is very corrosion and rust resistant


- Very high corrosion and rust resistance
- Significantly extends durability
- Lower blade with very fine serrations preventing tissue slippage
- Non-reflective surface
- Harder surface
- Razor-sharp edges
- Black ceramic coating



Bonn Iris Scissors | 15mm blade

Length	Straight	Curved
3-1/2" (8.9cm)	100-296	100-297

Scissors



Stevens Tenotomy Scissors | stainless steel

Length	Straight	Curved	Description
4-1/2" (11.5cm)	100-405	100-403	sharp
4-1/2" (11.5cm)	100-406	100-404	blunt



Metzenbaum Scissors | stainless steel

Length	Straight	Curved	Description
4-1/2" (11.5cm)	100-175	100-176	baby
5-1/2" (13.5cm)	100-179	100-180	lahey



Stevens Tenotomy Scissors | super-cut

Length	Curved	Description
4-1/2" (11.5cm)	100-403SC	sharp
4-1/2" (11.5cm)	100-404SC	blunt

fine tip (delicate pattern)

Length	Straight	Curved	Description
5" (12.5cm)	100-179F	100-180F	delicate

Metzenbaum Scissors | tungsten carbide

Length	Straight	Curved	Fine Curved
5-1/2" (14cm)	500-179	500-180	500-180F



Stevens Tenotomy Scissors | ceramic coated

Length	Curved	Description
4-1/2" (11.5cm)	100-403SCK	blunt

Metzenbaum Scissors | super-cut

Length	Straight	Curved	Description
4-1/2" (11.5cm)	100-175SC	100-176SC	baby
5-1/2" (13.5cm)	100-179SC	100-180SC	lahey



Scissors



Gradle Scissors | ribbon handle

Length	Straight	Curved
4" (10cm)	100-453	100-455



Iris Scissors | ribbon handle

Length	Straight	Curved
4" (10cm)	100-300R	100-302R



Lexer Scissors
stainless steel

Length	Straight	Curved
4" (10cm)	100-315	100-316

super-cut

Length	Straight	Curved
4" (10cm)	100-315SC	100-316SC

100-315SC



Wilmer (Converse) Scissors
angled on flat scissors

Model	Length	Description
100-472	4" (10cm)	stainless steel
100-472SC	4" (10cm)	<i>super-cut</i>
500-472	4" (10cm)	tungsten carbide

Scissors




Ragnell (Kilner) Scissors

stainless steel

Length	Straight	Curved
5-1/4" (13.5cm)	100-291	100-290

tungsten carbide

Length	Curved
4-3/4" (12cm)	500-410



Dissecting Scissors

flat tipped, serrated blade
tungsten carbide

Length	Curved
4-1/2" (11.5cm)	500-960



Lister Bandage Scissors

side angled

Model	Length
100-510	3-1/2" (9cm)
100-512	4-1/2" (11.5cm)
100-514	5-1/2" (14cm)

Operating Scissors

stainless steel

Sharp/Sharp	Straight	Curved
4-1/2" (11.5cm)	100-002	100-032
5" (12.5cm)	100-004	100-034

Sharp/Blunt	Straight	Curved
4-1/2" (11.5cm)	100-012	100-042
5" (12.5cm)	100-014	100-044
5-1/2" (14cm)	100-016	100-046



sharp/blunt



sharp/sharp



blunt/blunt

Blunt/Blunt	Straight	Curved
4-1/2" (11.5cm)	100-022	100-052
5" (12.5cm)	100-024	100-054
5-1/2" (14cm)	100-026	100-056

tungsten carbide

Sharp/Blunt	Straight
4-1/2" (11.5cm)	500-016

Stitch Scissors



Spencer Stitch Removal Scissors

Length	Straight	Side Curved
3-1/2" (9cm)	100-414	100-415
5" (12.5cm)	100-417	100-418



Littauer Stitch Removal Scissors

Model	Description
100-419	4-1/2" (11.5cm)
100-420	5-1/2" (14cm)



O'Brien Stitch Removal Scissors
side angled

Model	Length
100-413	3-3/4" (9.5cm)



Westcott Scissors | 4-1/2" (11.5cm)
curved

Model	Description
091-480	blunt tips
091-481	sharp tips

Scalpel Handles



#3 Handle Round
graduated, for blades #10-15

Model	Description
040-417	5-3/4" (14.5cm)



#3 Handle Round (Siegel)
for blades #10-15

Model	Description
040-417R	5-3/4" (14.5cm)



#3 Graduated
for blades #10-15

Model	Description
040-407	5" (12.5cm)



#3 Handle Long
for blades #10-15

Model	Description
040-410	8" (20cm)



#4 Handle
for blades #20-25

Model	Description
040-408	5-3/4" (14.5cm)



#7 Handle
for blades #10-15

Model	Description
040-409	6-1/4" (16cm)



Beaver Blade Handle

Model	Description
040-422	5" (12.5cm)
040-423	6" (15cm)



Scalpel Blade Remover

Model	Description
040-389	2" (5cm)

Sterile Disposable Scalpel Blades
box of 100

Model	Description
040-510	#10 scalpel
040-511	#11 scalpel
040-515	#15 scalpel



040-510



040-511



040-515

Iodine Cup



Model	Description
PWI06G	6oz. (3-1/2"D x 2"H)
PWI14G	14oz. (4-3/8"D x 2-5/8"H)

Mixing / Solution Bowl



Model	Description
PWB12A	7/8 Qt. (6-5/8"D x 4-5/8"H)
PWB18A	1-5/8 Qt. (8-1/8"D x 3"H)
PWB22A	3 Qt. (9-3/4"D x 4"H)

Sponge Bowl



Model	Description
PWC052	16oz. (4-1/4"D x 2"H)
PWC075	20oz. (5"D x 2-3/8"H)
PWC100	30oz. (5-1/2"D x 2-1/2"H)
PWC106	36oz. (6-1/4"D x 2-3/4"H)

Emesis Basin



Model	Description
PWE06	10oz. (6-5/8"L x 3-1/2"W x 1-1/2"H)
PWE08	12oz. (8-1/8"L x 3-5/8"W x 1-5/8"H)
PWE10	26oz. (9-7/8"L x 4-1/2"W x 2-1/8"H)

Graduated Measuring Cup



Model	Description
PWT1062	16oz. (3-3/4"D x 4-5/8"H)
PWT1063	32oz. (4-3/4"D x 5-1/4"H)

Solution Basins



Model	Description
PWA130	5 Qt. (12"D x 4-1/4"H)
PWA134	7 Qt. (13-5/8"D x 4-5/8"H)

Surgical Accessories | Stainless Steel Holloware



Graduated Medicine Cup

Model	Description
PWJ2	2oz. (2-1/8"D x 2"H)



Mayo Tray


Model	Description
PWM10F	10"L x 6-1/2"W x 3/4"H
PWM12F	12-3/4"L x 10-3/8"W x 1-1/4"H
PWM13F	13-11/16"L x 9-13/16"W x 3/4"H
PWM19F	19-1/8"L x 12-5/8"W x 3/4"H

Surgical Accessories | Sterilization Products

Ruler

flexible, with 1/32", cm & mm graduations

Model	Description
030-006	6" (15cm)
030-008	8" (20cm)



Instrument Identification Roll Tape

1/4"W x 300"L, PVC synthetic rubber, autoclavable

Model	Description
030-021	white
030-022	royal blue
030-023	kelly green
030-024	red
030-025	yellow
030-026	purple
030-027	orange
030-028	brown
030-029	black



Surgical Accessories | Instrument Stringers




Secure Locking Device

Model	Description
030-068	6" x 2-1/2"
030-070	8" x 2-1/2"
030-071	10" x 2-1/2"



Removable Catch

Model	Description
030-090	6" x 2-1/2"
030-091	8" x 2-1/2"
030-092	10" x 2-1/2"



Bunt Stringer | 4-3/4" (12cm)

Model	Description
030-060	bag of 6



M11 Autoclave

Re-manufactured with under 25 cycles

Model	Description
I-M11	18" x 11" Chamber



M9 Autoclave


Re-manufactured with under 25 cycles

Model	Description
I-M9	15" x 9" Chamber

Sterilization Trays



plastic, autoclavable tray, lid & silicone finger mat

Model	Description
030-104	2-1/2"W x 7-1/2"L x 3/4"H
030-105.5	4"W x 7-1/2"L x 3/4"H
030-105	4"W x 7-1/2"L x 3/4"H
030-107	6"W x 10"L x 3/4"H
030-108	6"W x 10"L x 1-1/2"H
030-108D	6"W x 10"L x 1-1/2"H (double tray)
030-110D	6"W x 10"L x 2"H (double tray, dome lid)
030-112	10"W x 15"L x 1-1/2"H
030-112	10"W x 15"L x 1-1/2"H (double tray)



Ultrasonic Cleaners

Model	Description
T-CSU1	1 gallon 9.38" x 4" x 5.38" ID
T-CSU3	3 gallon 15.5" x 6" x 9" ID
T-CSU6	6 gallon 19.8" x 6.5" x 11.8" ID



Dermatology Instruments

Dermal Curettes

Fox | 5-1/2" (14cm) round tip

Model	Description
033-001R	1mm
033-002R	2mm
033-003R	3mm
033-004R	4mm
033-005R	5mm
003-006R	6mm



Piffard Narrow | 5-1/2" (14cm) oval tip

Model	Description
033-075	size 00 (1mm)
033-076	size 0 (1.5mm)
033-076-2	custom (2mm)
033-077	size 1 (3mm)
033-078	size 2 (5mm)
033-079	size 3 (6mm)

Piffard | 5-1/2" (14cm) hollow handle, oval tip

Model	Description
033-070	size 1 (3mm)
033-071	size 2 (5mm)
033-072	size 3 (6mm)
033-073	size 4 (8mm)
033-074	size 5 (10mm)



Meyhoefer | 5-1/2" (14cm) sharp, round spoon

Model	Description
033-060	size 00 (1.0mm)
033-061	size 0 (1.5mm)
033-062	size 1 (1.7mm)
033-063	size 2 (2.0mm)
033-064	size 3 (2.5mm)
033-065	size 4 (3.5mm)
033-066	size 5 (4.0mm)
033-067	size 6 (4.5mm)



Hayden | 6-1/4" (15.5cm) sharp oval spoon

Model	Description
033-012	size 0 (3mm)
033-013	size 1 (4mm)
033-014	size 2 (5mm)
033-015	size 3 (6mm)



Dermal Punches & Blades



Keys Dermal Biopsy Punch

disposable, EO sterile, box of 50

Model	Description	Model	Description
033-031A	1.5mm	033-034	4.0mm
033-031	2.0mm	033-035	5.0mm
033-032	3.0mm	033-036	6.0mm
033-033	3.5mm	033-037	8.0mm



DermaBlade

Model	Description
040-540	box/50

- MicroCoat® Coated Stainless Steel blade reduces skin and tissue trauma
- Single-use, Sterile
- Flexible design for maximum control

Comedone Extractors



Saalfield | 4" (10cm)
cup extractor with lancet

Model	Description
033-208	round fenestrated cup



Schamburg | 3-3/4" (9.5cm)

Model	Description
033-200	standard ends
033-201	small end
033-202	extra fine end

033-200

033-201

033-202

Comedone Extractors

Unna

double ended, fenestrated cup

Model	Description
033-210	oval, 5-3/4" (14.5cm)
033-211	round, 5-1/2" (14cm)



Martini & Williger | 5-1/4" (13cm)

double ended, sharp

Williger oval

Model	Description
033-080	size 00/0 (2mm/3mm)
033-081	size 0/1 (3mm/4mm)
033-082	size 1/2 (4mm/5mm)



Martini round

Model	Description
033-083	size 00/0 (2mm/3mm)
033-084	size 0/1 (3mm/4mm)
033-085	size 1/2 (4mm/5mm)



Greg | 6-1/4" (16cm)

double ended

Model	Description
033-215	one fenestrated cup & chuck with interchangeable no. 65 lancet blade



Walton (Katsch) | 6-1/4" (16cm)

double ended

Model	Description
033-214	with spear cap & round expressor




Retractors



Guthrie Hook | 5" (12.5cm)
sharp

Model	Description
210-165	1.5mm wide
210-167	2.5mm wide




Freer Skin Hook | 6" (15cm)
double prongs, 2.5mm wide

Model	Description
210-102	sharp
210-103	blunt



Frazier Dura Hook | 5" (12.5cm)

Model	Description
210-170	sharp
210-171	blunt



Joseph Hook | 6-1/4" (16cm)
sharp prongs

Model	Description
210-152	single prong
210-153	double prong, 2mm wide
210-154	double prong, 5mm wide
210-155	double prong, 7mm wide
210-156	double prong, 10mm wide



Alm Retractor

2-3/4" (7cm)

Model	Description
105-010	sharp
105-011	blunt

4" (10cm)

Model	Description
105-012	sharp
105-013	blunt



Heiss (Kaupp) Retractor | 4" (10cm)

Model	Description
105-014	sharp
105-016	blunt

Dermatology Retractors




210-195NC



Desmarres Lid Retractor | 5-1/2" (14cm)

Description	Stainless	Non-Conductive
11mm wide	210-194	210-194NC
13mm wide	210-195	210-195NC
15mm wide	210-196	210-196NC
17mm wide	210-197	210-197NC



Desmarres Chalazion Clamp | Non-Conductive 3-1/2" (8.8cm)

Model	Description
210-192NC	12 x 23mm



Desmarres Chalazion Clamp 3-1/2" (8.8cm)

Model	Description
210-191	11 x 17mm
210-192	12 x 23mm
210-193	17 x 28mm



Lambert Chalazion Clamp 3-1/2" (8.8cm)

Model	Description
210-832	cathedral neck, open blade, 9mm



Hunt Chalazion Clamp 3-1/2" (8.8cm)

Model	Description
210-833	1 cathedral neck, open blade 12mm



Hollow Chalazion Clamp 3-1/2" (8.8cm)

Model	Description
210-834	hollow on both sides 12mm x 14mm



Baird Chalazion Clamp 3-1/2" (8.8cm)

Model	Description
210-839	open blade, 8mm x 12mm



Francis Chalazion Clamp 3-1/2" (8.8cm)


Model	Description
210-838	angled neck, open blade, 12mm x 14mm

Splinter Forceps



Walter (Hunter) Splinter Forceps | 4-1/4" (10.5cm)

Model	Description
120-312	straight
120-314	curved




Carmalt Splinter Forceps | 4-1/4" (10.5cm)

Model	Description
120-310	angled
120-311	straight



Feilchenfeld Splinter Forceps

Model	Description
120-318	4-1/2" (11.5cm)



Hayden Splinter Forceps

Model	Description
120-320	3-1/2" (9cm)
120-322	4-1/2" (11.5cm)

Mohs Surgery Instrument Set Up - A

033-005R	Fox dermal curette, round, 5mm diameter, 5-1/2" (14cm)
120-869	Bishop-Harmon tissue forceps, 1x2 teeth, 0.9mm, 3-3/8" (8.6cm)
040-407	Scalpel handle #3, graduated in cm, 5" (12.7cm)
120-134	Adson tissue forceps, 1x2 teeth, 1.4mm standard, 4-3/4" (12cm)
100-304	Iris scissors, straight, 4-1/2" (11.4cm)
120-117	Adson dressing forceps, serrated, 1.4mm standard, 4-3/4" (12mm)
040-398	Scalpel blade remover, compatible with all handle styles



Instrument Sets

Mohs Surgery Instrument Set Up - B

- 140-004 Halsted Mosquito forceps, curved, 5" (12.7cm)
- 120-139 Adson tissue forceps, 1x2 teeth, 1mm delicate tying platform, 4-3/4" (12cm)
- 100-002 O.R. scissors, straight, sharp/sharp, 4-1/2" (11.4cm)
- 500-960 Dissecting scissors, curved, flat tipped, serrated blade, tungsten carbide, 4-1/2" (11.5cm)
- 520-060 Webster needle holder, serrated jaws, delicate, tungsten carbide, 5-1/4" (13.1cm)



Electrocautery



LA942 - Bovie Derm 942

Feature: User-friendly and fewer accessories needed for additional functionality.

Benefit: Saves time and money during procedures and less accessories to purchase.

Feature: Adjust power from 0.1 watt – 40 watts.

Benefit: Higher resolution in bi-polar mode.


Feature: 3-Button Pencil works with or without optional footswitch.

Benefit: Cost-effective and user has complete control including up/down power from the handpiece as well as activation.

Feature: Digital Error Detection.

Benefit: Continuously monitors every aspect of the unit's output. At the sign of any problem, the machine instantly disables the output and displays the appropriate error code on the display. No grounding pad needed.

Features	LA942
cut (# of modes)	N/A
blend (# of steps)	N/A
coag	40W
fulguration/spray coag	40W
standard bipolar	40W
pad alarm	N/A
pad sensing (tissue impedance)	N/A
Additional Accessories:	
foot control	LA803
pencils/handpiece	LA902



*pencil not included

Smoke Evacuator

Model	Description
LA03	Smoke Shark 3
LA06	replacement filter

Reduces biological, physical, and chemical hazards present in electrosurgical smoke plume.

Uniquely designed for the physician's office with compact size for wall mounting.

Specifically intended for shorter procedures (15 minute or less).

Quiet design offers excellent performance with less noise.

Includes SharkSkin adapter (LA95) for out-of-the-box usability.

Includes Smart Shark remove activation (LA03SW) for maximizing filter life.

Includes 6 hour filter (LA06).

99.999% Efficient Particulate Capture.

Width	Height	Depth	Weight
7"	10"	7.5"	7 lbs.

WARRANTY: 2 years



Grounding Pad

Model	Description
LA800EU	reusable patient plate & Cord for A942



Electrosurgical Electrodes

sterile disposable

Model	Description
ES01	standard blade, box/50
ES02	standard needle, box/25
ES20	3/16" ball, box/25



sharp



blunt

Dermal Tips

Model	Sharp	Blunt
non-sterile 100/box	A804	A806
sterile 50/box	A805	A807

Radiofrequency (RF) Technology

As the developer of 4.0MHz RF surgical technology, Mr. Alan Ellman has created Soniquence to provide physicians with surgical precision, versatility, and safety unmatched by other electrosurgical and laser technologies. Using a 4.0MHz output frequency that is over 8 times greater than that of electrosurgical devices, Soniquence generators create microscopic lateral heat while cutting and coagulating, thereby protecting surrounding tissue from unwanted thermal injury. The result is improved healing results with fewer complications typically caused by excess lateral heat.

Soniquence represents Alan Ellman's return to office and hospital-based surgical specialties with new technology and brings coupled 4.0 MHz and 1.7 MHz RF technology into the 21st century. This new technology introduces clean, smooth high frequency waveforms for improved monopolar, bipolar and introducing Bipolar Turbo modalities.



SmoothWave i200

4.0MHz RF technology with Bipolar Turbo and Tissue Matching Intelligence provides greater surgical precision and soft tissue preservation.

The Features

- RF Filtering that automatically matches tissue impedance from 50-2000 ohms thereby providing consistent results through various soft tissue (skin, fat, mucosa, gingiva, etc..)
- Pulse Width Modulation that produces pure clean waveforms for Cut, Blend, and Hemostasis settings
- Unmatched precision and control
- Three distinct modalities: Monopolar, Bipolar, Bipolar TURBO
- Significantly less heat spread compared to traditional electrosurgical devices
- Ease of use

The Benefits

- Revenue generating office and hospital based procedures
- Versatility, efficacy, and precision in even the finest of tissues
- Time saving
- Less heat spread = faster and better quality healing results
- No wound dehiscence
- Less scarring
- Clean biopsy specimens

Bipolar Forceps



218-010



218-004NS

Model	Description
218-010	Adson, 4-3/4" (12cm), 1mm, stainless tips
218-010NS	Adson, 4-3/4" (12cm), 1mm, non-stick tips
218-004	Jeweler, 4-1/4" (10.8cm), 0.25mm, stainless tips
218-004NS	Jeweler, 4-1/4" (10.8cm), 0.25mm, non-stick tips
218-141	bipolar cord 12'

Cryosurgery



Brymill Hand Held Liquid Nitrogen Delivery System

Model	Description	Static Holding Time
B-700	CRY-AC® (500ml) 16oz.	20-24 hours
B-800	CRY-AC®-3 (300ml) 10oz.	10-12 hours
B-400	CRY-BABY®(125ml) 4oz.	3-4 hours

*A set of 4 Apertures, a 1" x 20g Straight Spray and a 3" x 20g Bent Spray are included with each unit.

- Fingertip trigger for maximum control and ease of viewing
- Patented Safety Autovent maximizes safety by allowing internal pressure to gradually vent as the cap is unscrewed.
- Streamlined relief valve maintains a constant operating pressure to ensure consistent and accurate freezing.
- Polypropylene Cover and Collar insulates the user's hand.
- Stainless steel and brass construction for long life
- Sturdy Delrin base for extrastability



Liquid Nitrogen Storage Dewars

Model	Size	Static Holding Time
501-5	5 Liter	4 - 5 wks.
501-10	10 Liter	6 - 8 wks.
501-20	20 Liter	8 - 12 wks.
501-20SC	20 Liter	Long Last 200 days
501-30	30 Liter	14 - 16 wks.
501-50	50 Liter	14 - 17 wks.



Cryo Gloves

Model	Description
605-S	small
605-M	medium
605-L	large



Roller Base recommended for Dewars 20L +

Model	Description
501-RB	specify Dewar model # and capacity

Withdrawal Accessories

Model	Description
502	Withdrawal Device (*) - For Dewars of 20 liters and over
503	Withdrawal Tube (*) - For Dewars of 5 up to 20 liters
502-F	Replacement Filter for Withdrawal Device
503-F	Replacement Filter for Withdrawal Tube



withdrawal tube withdrawal device

Eye Shields

Durette® IV External Laser Shields

Durette® IV external laser shields, with mobile metal attachments. Includes 1 assembled pair external shields and extras. Total parts comprise 2 metal cups, 2 nasal and 2 temporal metal attachments, 2 elastic headbands.

Both the nasal and temporal pieces can be moved away from area to be treated, without affecting proper shields' position.

Model	Description
OP21-552	small
OP21-555	regular
030-105.5	sterilization case 4"W x 7-1/2"L x 1-1/2"H



COX II Ocular Laser Shield

To protect the patient and personnel from the laser and IPL. Their non-reflective surfaces disperse laser and other sources of energy. Autoclavable

Designed to conform to the globe, with a vault over the cornea. The posterior surface and the rounded edges are highly polished to assure patient's comfort

The offset handle facilitates insertion and removal. The handle is near the lower lid to allow closure without the upper lid pressing on the handle and causing rotation or displacement of the shield, minimizing risk of corneal irritation or exposure of the globe.

medial with handle



In four sizes, pair of left and right:

Model	Description
OP21-261HP	x-small 22 x 19.5mm, pair
OP21-262HP	small 24 x 21mm, pair
OP21-264HP	medium 25.5 x 22mm, pair
OP21-266HP	large 26.5 x 23mm, pair

bilateral with suction cup



Model	Description
OP21-261P	x-small, 22 x 19.5mm, pair
OP21-262P	small, 24 x 21mm, pair
OP21-264P	medium, 25.5 x 22mm, pair
OP21-266P	large, 26.5 x 23mm, pair
OP23-012	suction cups (1 dozen)

Plastic Ocular Shields

Bilateral model with suction cup is ideal for blepharoplasty. Model with bilateral handle can be used in either eye and they are easier to insert and remove.

bilateral with handle



Black	Transparent Yellow	Description
OP23-201BHP	OP23-201YHP	x-small, 22 x 19.5mm, pair
OP23-202BHP	OP23-202YHP	small, 24 x 21mm, pair
OP23-204BHP	OP23-204YHP	medium, 25.5 x 22mm, pair
OP23-206BHP	OP23-206YHP	large, 26.5 x 23mm, pair
OP23-012		suction cups (1 dozen)

bilateral with suction cup



Black	Transparent Yellow	Description
OP23-201BP	OP23-201YP	x-small 22 x 19.5mm, pair
OP23-202BP	OP23-202YP	small 24 x 21mm, pair
OP23-204BP	OP23-204YP	medium 25.5 x 22mm, pair
OP23-206BP	OP23-206YP	large 26.5 x 23mm, pair






Dermal Microscope

Model	Description
LM-LX500	LED
LM-LX500H	Halogen

Features:

- Siedentopf Binocular head 30°, IPD 48-75mm with height adjustment.
- WF 10x/22mm focusable eyepieces, Quintuple reverse angle nosepiece.
- MaxLite™ RP2 series DIN Infinity Corrected Plan Achromatic objectives: 4x, 10x, 40x, 100x.
- Rackless X-axis ceramic double plate mechanical stage 200 x 160mm, X/Y travel range 76x50mm with double slide holder.
- Flip top sub-stage centerable Abbe condenser NA 1.25 with Koehler mounted blue filter.
- Koehler LED illumination with intensity control.



Woods Light

Model	Description
UVS9	for detecting certain skin disorders



DermaScout II

Model	Description
BVDS-6-02	for visualization of dermal lesions

Ultraviolet LED Magnifier

Model	Description
HM604	Woods light with magnifier


SMART Magnifier offers both UV and White light. Commonly found in Dermatology for detecting defects.

Features and Benefits:

- Optically ground and polished glass non-yellowing.
- Superb light quality; 95 CRI, 3800 Kelvin (White LED)
- LED UV 365nm UVA or White operation in one Device
- 36,000+ hours (White LED) 30,000+ hours (UV LED)
- 4 hours of continuous use



* Not a diagnostic, therapeutic or treatment device.



Podiatry Instruments

(661) 296-7200 | info@haydenmedical.com | www.haydenmedical.com

Nail Nippers & Splitters



Platypus Nail Pulling Forceps

Model	Description
040-234	standard width, 5-1/2" (14cm)
040-235	narrow width, 5" (12.5cm)



English Anvil Nail Splitter double spring

Model	Description
040-230	5" (12.5cm)



Tissue & Cuticle Nipper ring handles

Model	Description
040-220	straight jaws, 4" (10cm)



Nail Nipper | concave jaws double spring

Model	Description
040-217	5" (12.7cm)



040-224



040-225SS



040-225A



040-226SS



040-226A




040-227SS



040-228

Nail Splitters | straight jaws double spring

Model	Description
040-224	4" (10cm)
040-225SS	4-1/2" (11.5cm)
040-225A	4-1/2" (11.5cm) delicate
040-226SS	5" (12.5cm)
040-226A	5" (12.5cm) delicate
040-227SS	6" (15cm)
040-228	6" (14cm) extra narrow



Double Action barrel spring

Model	Description
040-218	straight jaws, 6" (15cm)
040-218PT	straight jaws, petite 4-1/2" (11.3cm)
040-219	concave jaws, 6" (15cm)
040-219PT	concave jaws, petite 4-1/2" (11.3cm)



040-219



040-218



Turnbull Nail Nipper | concave barrel spring, with lock, chrome

Model	Description
040-205	4-1/2" (11.5cm)
040-207	5-1/2" (13.5cm)



040-205

Nail Nippers & Splitters



040-210SS

040-212SS

040-215SS



Heavy Pattern | 5-1/2" (13.5cm)
barrel spring, with lock

Model	Description
040-210SS	concave jaws
040-212SS	straight jaws
040-215SS	angled concave jaws



040-245SS

040-250SS



040-251SS

040-252SS



Heavy Pattern | convex jaws
double spring

Model	Description
040-245SS	4" (10cm), 6mm jaws
040-250SS	4-1/2" (11.5cm), 11mm jaws
040-251SS	5" (12.5cm), 8mm jaws
040-252SS	5" (12.5cm), 14mm jaws, heavy pattern



Nail Nipper | concave jaws
double spring

Model	Description
040-201	4-1/2" (11.3cm)

Rongeurs & Bone Cutters



Ruskin Rongeur | 6" (15cm)
double action

Model	Description
205-848	3mm straight
205-849	3mm curved



Beyer Rongeur | 7" (17.5cm)
double action, slightly curved

Model	Description
205-844	3mm wide jaws

Friedman Rongeur | 5-1/2" (14cm)

Model	Description
205-826	micro 1.5mm jaws, straight
205-828	micro 1.5mm jaws, curved
205-830	3.5mm jaws, slightly curved



Ruskin (Kleinert-Kutz) Bone Cutter | 5-3/4" (14.6cm)
double action

Model	Description
205-626	straight
205-627	curved



Liston-Blau Bone Cutter | 5-1/2" (14cm)
double action

Model	Description
205-912	straight narrow blades

Bone Files



Great Grip Handle



040-290

040-292

040-294

040-295

040-296

Bone File | 7" (17.5cm) double ended

Model	Description
040-290	#10, plain serrations
040-292	#12A Howard, plain end, cross serrated end
040-293	#12CA Howard bell, cross serrations
040-294	#33, plain serrations
040-295	#45 Miller, plain serrations
040-296	#64 Miller, plain serrations



040-291



Polokoff Bone File | 7-1/4" (18.4cm) double ended

Model	Description
040-291	#12 Howard, plain serrations



Great Grip Handle



Polokoff Bone File | 7-1/4" (18.4cm) double ended

Model	Description
040-308	narrow pattern (POL-1)



040-309



040-310

Polokoff Bone File single-ended

Model	Description
040-309	short head, fine serrations (POL-2), 6" (15.2cm)
040-310	long head, medium serrations, 6-1/2" (16.5cm)



040-394

Locke Elevator

Model	Description
040-394	small blade 3mm x 15mm, 4-1/2" (11.5cm)
040-396	large blade 5mm x 20mm, 5" (12.5cm)



040-391



040-392

Spatulas & Packers | 6" (15cm)

Model	Description
040-391	oval spatula 7mm wide & 2mm x 25mm packer
040-392	blunt probe & 2mm x 25mm packer



Nail & Bone Rasp | 6-3/4" (17cm)
double ended

Model	Description
040-393	backwards cutting



040-390


Probe & Excavator | 6" (15.2cm)
double ended

Model	Description
040-389	blunt probe and hook blunt end
040-390	2mm x 25mm packer and blunt hook end



040-389

Curettes



Verucca Curette | 5" (12.5cm)

Model	Description
040-354	4mm cup



Excavator Curette | 5-1/2" (14cm) double ended with holes, standard handle

Model	Description
040-358/1-2	1.5mm & 2mm
040-358/1-3	1.5mm & 2.5mm



Great Grip Handle



Excavator Curette | 5-1/2" (14cm) double ended with holes, great grip handle

Model	Description
040-356/1-2	1.5mm & 2mm
040-356/1-3	1.5mm & 2.5mm



without hole

with hole

Single-End Curette | 5-1/2" (14cm)

Model	Description
040-357/0	without hole, extra small, 1mm diameter
040-357/1	without hole, small, 1.5mm diameter
040-357/2	without hole, medium, 2mm diameter
040-357/3	without hole, large, 2.5mm diameter
040-358/0	with hole, extra small, 1mm diameter
040-358/1	with hole, small, 1.5mm diameter
040-358/2	with hole, medium, 2mm diameter
040-358/3	with hole, large, 2.5mm diameter

Specialty Scissors



Crown & Collar Scissors

wire cutting

Model	Description
	4-3/4" (12.1cm)
090-120	straight, one serrated blade
090-122	curved, one serrated blade
090-121	straight
090-123	curved
	4-1/4" (10.8cm)
090-132	straight, one serrated blade
090-134	curved, one serrated blade
090-133	straight



Cuticle Scissors | 3-1/2" (8.9cm)

Model	Description
040-435	curved, standard
040-445	curved, delicate



Wire Cutting Scissors | 3-1/2" (8.9cm)

one serrated blade

Model	Description
100-429	stainless
500-500	tungsten carbide



blunt/blunt



sharp/blunt

Utility Scissors | 6-1/2" (16.5cm)

one serrated blade, extra heavy

Model	Description
040-700	straight, sharp/blunt
040-704	curved sharp/blunt
040-702	straight, blunt/blunt
040-706	curved, blunt/blunt



Ingrown Nail Splitting Scissors

Model	Description
040-260	6" (15cm)



Moleskin & Felt Scissors | 7-1/2" (19.1cm)

sharp/blunt

Model	Description
040-460	straight
040-465	curved

Hand Instruments | 5" (12.7cm)

Model	Description
040-059	nail splitter, straight, 2mm wide
040-060	nail splitter, angled, 2mm wide
040-061	nail splitter, straight, 3.5mm wide
040-062	nail splitter, angled, 3.5mm wide
040-067	hand chisel, curved edge, 6mm wide
040-069	elevator, curved blade, semi sharp
040-071	nucleus knife, 2mm
040-073	nucleus knife, 3mm
040-075	nucleus knife, 4mm
040-079	gouge, round tip, 2.5mm wide
040-081	ingrown nail shaver, fenestrated, inside cutting edge
040-083	ingrown nail cutter, sharp hook edge
040-084	tissue twist hook



Hand Instruments | 5" (12.7cm)

Model	Description
040-327	chisel, curved, 13mm edge
040-329	chisel, curved, 18mm edge
040-330	chisel, curved, 8mm edge
040-332	chisel, curved, 15mm edge
040-340	knife, straight back, 25mm curved edge
040-341	corn knife, heavy, 35mm blade
040-343	golf stick knife, forward cutting edge
040-345	soft corn spoon knife, straight blade
040-347	soft corn spoon knife, curved blade



Rasps



Cottle (Parkes) Rasp | 8-1/2" (21cm)

Model	Description
210-338	backward cutting, fine
210-339	backward cutting, coarse



Joseph Rasp | 6-1/4" (16cm)

Model	Description
210-330	fine serrations



Fomon Rasp | 8-1/4" (20.5cm)

Model	Description
210-368	4-sided, double ended, fine & coarse teeth in both flat & convex



Gallaher Rasp | 6-1/2" (16.5cm)

Model	Description
210-360	coarse teeth



Maltz Rasp | 7" (17.5cm)

Model	Description
210-341	forward cutting
210-342	backward cutting



210-341



Aufrecht Glabella Rasp | 8-1/4" (20.5cm)
curved

Model	Description
210-346	forward cutting
210-348	backward cutting



Lewis (Joseph) Nasal Rasp | 7" (17.5cm)
backward cutting

Model	Description
210-352	fine
210-354	coarse



210-354

Elevators



McKenty Elevator | 5-1/2" (14cm)
curved at tip

Model	Description
210-062	4mm wide blade
210-063	5mm wide blade



Joseph Periosteal | 7" (17.5cm)
strongly curved

Model	Description
210-064	6.5mm wide blade



Fomon Periosteal | 6-1/4" (15.5cm)
slightly curved blade

Model	Description
210-068	4.5mm wide blade



Cottle Periosteal | 7-1/2" (19cm)
slightly curved tapered blade

Model	Description
210-072	8mm wide blade



Freer Elevator | 7" (17.5cm)
double ended, sharp & blunt blades

Model	Description
210-232	5mm wide



Langenbeck Periosteal | 7-1/2" (19.1cm)

Model	Description
210-002	6mm blunt blade
210-010	7mm blunt blade
210-011	17mm sharp blade

Elevators



270-753

Crego Periosteal | 8" (20cm)

Model	Description
270-752	slightly curved blade 7mm
270-753	fully curved blade 7mm
270-754	fully curved blade 14mm



Hayden Periosteal | 6" (15.2cm)

Model	Description
270-755	double ended, slightly curved blade 6mm wide, straight spear point rounded blade 3mm wide



Sayre Periosteal | 6-3/4" (17cm) double ended, one straight blunt end

Model	Description
270-744	sharp curved
270-746	blunt curved



McGlamry Metatarsal Elevator | 6-3/8" (16cm)

Model	Description
040-280	9mm wide
040-281	11mm wide
040-282	13mm wide
040-283	15mm wide
040-284	17mm wide



OHL Periosteal | 7" (17.8cm)

Model	Description
270-761	double ended, 6mm wide sharp rounded and pointed blades



23 Seldin Periosteal | 7-3/4" (19.7cm)

Model	Description
270-760	double ended, slightly curved blades 10mm and 13mm wide

Clamps & Tendon Forceps



Locke Phalangeal Clamp | 6" (15.2cm)

Model	Description
140-556	straight



Carroll Tendon Pulling Forceps | 5" (12.5cm)

Model	Description
270-994	curved shaft, alligator type



Rosenbloom Sesamoidectomy Clamp | 6" (15.2cm)

Model	Description
140-557	curved

Bone Clamp & Elevators



Mini-Hohmann Retractor | 6-1/4" (15.9cm)

Model	Description
200-460	6mm
200-461	8mm



Hohmann Retractor | 9-1/4" (23.5cm)

Model	Description
200-462	10mm
200-463	18mm
200-464	25mm
200-465	43mm



Lambert Lowman Bone Clamp | 8" (20.3cm)

Model	Description
270-047	2x2 prong jaws 1-3/8" (3.5cm) wide



Martin Cartilage Clamp

Model	Description
270-990	7" (17.8cm)
270-992	8" (20.3cm)



Vascular Non-Display Dopplers

Non Display – Audio Only

These audio only Dopplers provide great value if all you need is to hear the Doppler sounds loud and clear. They include a display of battery condition, signal strength, and volume setting, but do not have a heart rate display.

Model	Description
D330-D5	handheld digital doppler, non-display, with 5MHz vascular probe, deeper vessels
D330-D8	handheld digital doppler, non-display, with 8MHz vascular probe, general purpose
D330R-D5	handheld digital doppler, non-display, with 5MHz vascular probe, deeper vessels, rechargeable
D330R-D8	handheld digital doppler, non-display, with 8MHz vascular probe, general purpose, rechargeable



Equipment

BiLumix Shadowless Headlamp

The BiLumix Headlamp is going to be your new headlight of choice in your OR and Exam Rooms. This cordless surgical headlamp is lightweight and battery powered. It does not put pressure on the nose like other loupes and headlamps. Take a look at some of the shadowless headlamp's key features.

Model	Description
BiLumixHLP-V2	Headlamp, 2 batteries, 1 charger, travel bag, clear light filter caps

- 12 hours of battery life
- Rechargeable batteries
- Light source lasts over 50,000 hours
- Lightweight, no pressure on the nose
- Wireless (need we say more?)
- 70,000 Lux at Max Intensity
- Shadowless (Two light sources to avoid shadows)



Loupes

BiLumix1.5X 58	1.5x Mag, 58 IPD
BiLumix1.5X 62	1.5x Mag, 62 IPD
BiLumix1.5X 66	1.5x Mag, 66 IPD
BiLumix2.5X	2.5x Mag working distance: 20 ~ 100cm (Adjustable)
BiLumix3.5x	3.5x Mag working distance: 20 ~ 100cm (Adjustable)



Camera

Model	Description
BiLumix-cam	

- Stream & record video with desired point of view
- Mountable to BiLumix Headlamp & any surface
- View the operational area in close up view with zoom

Doctor's Stool with Airlift & Back Rest

Model	Description
EDS-1060G	with backrest
EDS-1060	without backrest

- Extra-Large, Fully Rotating Seat: 15" Diameter; larger than most seats
- Adjustable Pneumatic Height Range: 17" to 23" (ADA compliant)
- NEW Soft Polyurethane Wheels: Maneuvers smoothly over hardwood floors and carpets
- 4" of our Exclusive Small Cell™ Foam: Delivers superior comfort throughout the years
- Extra Large, Steel Seat Mounting Plate: 2x Larger than other stools;- maintains durability and safety
- Hypoallergenic, CFC-free, oil & water-proof upholstery



HAUSTED MOBILE POWERED SURGI-CHAIR (ESC2)

Model i-ESC2EYE600



- Smart Caster Technology with Auto Braking and Advanced Steering for Improved Patient and Staff Safety
- Industry Leading Height Range – 20” to 40” for Greater Procedure flexibility
- Highest Chair Weight Capacity on U.S. Market Today – 600 lbs
- Wider Patient Surface for Enhanced Patient Comfort and Safety – 26”
- Two-position Foot Rest with Integrated Powered Leg Extension for Taller Patients
- Hand Pendant with Pre-Sets and 3 Memory Positions
- Superior Surgeon Leg Clearance
- 0° – 15° Seat Tilt Standard for Improved Patient Safety and Comfort
- Integrated Ergonomic Push Handles for Increased Staff Safety
- Counter Rotating Side Rails with Urethane Comfort Arm Rests
- Quick-Release Positioning
- Contoured, Multi-density Pad with Dura-Gel® Insert for Greater Patient Comfort
- Back-up Lithium Ion Battery for Longer Battery Life

Economic Benefits

- Single patient platform increases productivity and throughput and decreases turnover times
- Reduces staff time and prevents staff injury involved in transferring patient during various phases of care
- A full range of patient positioning provides patient comfort and safety during every phase of care including transport, procedure and recovery

⚠ WARNING: This product can expose you to chemicals including Di(2-ethylhexyl)phthalate (DEHP), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov

Teardrop



Saddle



Wedge (standard)



- Front -

Hayden Surgical Stool

hydraulic foot controlled up/down, with brake

Designed for surgeon comfort and safety

- 300lbs weight capacity
- Dual-density foam seat cushion
- 180° Arm Rest Support
- 360° Rotating Arm Pad

Model
S900-W
S900-S
S900-T

Description
with wedge seat
with saddle seat
with teardrop seat





LED Exam Lights



Manual Exam Table



Powered Exam Table



Treatment Table



Back Tables



Prep Tables



Defibrillators



Mayo Stands



Ultrasonic Cleaning Systems



Autoclaves

INDEX

A

Adson Forceps	6
Alm Retractor	23
Aufricht Nasal Rasp	43
Autoclaves	53

B

Baby Webster Needle Holder.....	4
Backhaus Towel Clamp	9
Back Tables	53
Barraquer Forceps.....	7
Baumgartner Needle Holder	5
Beyer Rongeur	37
BiLumix Shadowless Headlamp	50
Bipolar Forceps	30
Bishop-Harmon Suture Forceps	7
Bone Clamps	47
Bone Cutters	37
Bone Files	38
Bonn Iris Scissors	10
Bovie Derm 942 Generator	28
Bovie Bantam PRO Generator	28
Bovie Specialist PRO Generator	28
Bunt Instrument Stringer	17

C

Carmalt Splinter Forceps	25
Carroll Tendon Pulling Forceps	46
Castroviejo Needle Holder	5
Castroviejo-Brown Forceps	7
Chalazion Forceps	24
Cottle (Parkes) Nasal Rasp	43
COX II Ocular Laser Shields	31
Crego Periosteal Elevator	45
Crown & Collar Scissors	41
Cryosurgical	41
Cutters	37
Cuticle Scissors	41

D

DeBakey Tissue Forceps	8
Defibrillators.....	53
Derf Needle Holder	4
Derm Cutters	20-22
Derma Blade	21
Dermal Biopsy Punch	21

Dermal Microscope	32
DermaScout II	32
Desmarres Chalazion Forceps	24
Desmarres Lid Retractor	24
Disposable Biopsy Punch	21
Disposable Scalpel Blades	15
Dissecting Scissors	13
Doctor's Stool with Airlift & Back Rest	50
Doppler	48
Double Action Nail Nipper	35
Dressing Forceps	6-8
Durette® IV External Laser Shields	31

E

Electrosurgical Electrodes	30
Electrosurgical Generator	28
Elevators	44-45, 47
Emesis Basin	16
English Anvil Nail Splitter	34
Equipment	50-53
Exam Lights	52
Exam Tables	39
Excavator Curette	40
Eye Shields	31

F

Feilchenfeild Splinter Forceps	25
Fomon Nasal Rasp	43
Fomon Periosteal Elevator	44
Fox Dermal Curette	20
Fraizer Dura Hook	23
Freer Elevator	44
Freer Skin Hook	23

G

Gallaher Rasp	43
Gradle Scissors	12
Graduated Medicine Cup	17
Graduated Measuring Cup	16
Graefe Forceps	7
Greg Comedone Extractor	22
Grounding Pad	29
Guthrie (Iris) Hook.....	23

H

Halsey Needle Holder	4
----------------------------	---

Hand Instruments	42
Hartman Mosquito Forceps	9
Hayden Dermal Curette	20
Hayden Periosteal Elevator	45
Hayden Splinter Forceps	25
Hayden Surgical Stool	51
Heavy Pattern Nail Cutter	36
Heiss (Kaupp) Retractor	23
Hemostats	9
High Frequency Desiccator	28
Hohmann Retractor	47
Holloware	16
Hooks	23

I

Ingrown Nail Splitting Scissors	41
Instrument Identification Roll Tape	17
Instrument Stringers	17
Iodine Cup	16
Iris (Graefe) Forceps	7
Iris Scissors	10

J

Jeweler Forceps	8
Joseph Hook	23
Joseph Nasal Rasp	43
Joseph Periosteal Elevator	44

K

Kelly (Kelly-Rankin) Forceps	9
Keyes Dermal Biopsy Punch	21
Kleinert-Kutz Bone Cutter	37


L

Lambert Lowman Bone Clamp	47
Langenback Periosteal Elevator	44
Laser Eye Shields	31
LED Exam Lights	52
Lewis (Joseph) Nasal Rasp	43
Lexer Scissors	12
Lister Bandage Scissors	13
Liston-Blau Bone Cutter	37
Littauer Cilia Forceps	7
Littauer Stitch Removal Scissors	14
Locke Nail Elevator	39
Locke Phalangeal Clamp	46

INDEX

Lorna (Edna) Towel Clamp	9	Radio Frequency.....	29	Vascular Non-Display Dopplers	48
M		Ragnell (Kilner) Scissors	13	Verucca Curette	40
Maltz Nasal Rasp	43	Ribbon Handle Iris Scissors	12	W	
Manual Exam Tables	52	Rongeurs	37	Walter (Hunter) Splinter Forceps	25
Martin Cartilage Clamp	47	Rosenbloom Sesamoidectomy Clamp	46	Walton (Katsch) Comedone Extractor	22
Martini Bone Curette	22	Ruler	17	Webster Needle Holder	4
Mayo-Heger Needle Holder	5	Ruskin Rongeur	37	Westcott Scissors	14
Mayo Stands	53	Ruskin (Kleinert-Kurtz) Bone Cutter	37	Williger Bone Curette	22
Mayo Tray	17	S		Wilmer (Converse) Scissors	12
McGlamry Metatarsal Elevator	45	Saalfeld Comedone Extractor	21	Wire Cutting Scissors	41
McKenty Septum Elevator	44	Sayre Periosteal Elevator	45	Woods Light	32
Metzenbaum Scissors	11	Scalpel Blade Removers	15		
Meyhoefer Curette	20	Scalpel Handles	15		
Microscope	32	Schamberg Comedone Extractor	21		
Mini-Hohmann Retractor	47	Scissors	10-14, 41		
Mixing / Solution Bowl	16	Seldin Periosteal Elevator	45		
Mohs Surgery Instrument Set Up A	26	Single-Ended Curette	40		
Mohs Surgery Instrument Set Up B	27	Smoke Evacuators	29		
Moleskin & Felt Scissors	41	Solution Basins	16		
Monsel's Solution (Ferric Subsulfate)	30	Spatulas & Packers	39		
N		Spencer Stitch Removal Scissors	14		
Nail & Bone Rasp	39	Splinter Forceps	25		
Nail Nipper	34-36	Sponge Bowl	16		
Nail Pulling Forceps	34	Sterile Disposable Scalpel Blades	15		
Nasal Rasps	43	Sterilization Trays	18		
Nail Splitters	35	Stevens Tenotomy Scissors	11		
Needle Holders	4-5	Stitch Removal Scissors	14		
O		Stringers, Instrument	17		
O'Brien Stitch Removal Scissors	14	Surgi-Chair (ESC)	51		
Ocular Laser Shields	31	Swiss Cilia Forceps	7		
OHL Periosteal Elevator	45	T			
Olsen-Heger Needle Holder	5	T-Edge 10S Autoclave.....	18		
Operating Scissors	13	Tissue & Cuticle Nipper	34		
P		Tissue Forceps	6-8		
Piffard Curette	20	Towel Clips	9		
Platypus Nail Pulling Forceps	34	Treatment Tables	52		
Polokoff Bone File	38	Turnbull Nail Nipper	35		
Powered Exam Table	52	U			
Prep Tables	53	Ultrasonic Cleaning Systems	53		
Probe & Excavator	39	Ultraviolet LED Magnifier	32		
R		Unna Comedone Extractor	22		
		Utility Scissors	41		

Order your
instruments from
Hayden Medical
today.



Scan to be directed to website.

The background features a large, vibrant red circle on the left side, partially overlapping a white circle. To the right, a white circle overlaps a grey circle. In the top right corner, a portion of a surgical instrument tray is visible, containing various tools like forceps and a scalpel. The text is positioned on the red circle.

HAYDEN MEDICAL

19425 Soledad Canyon Road #411
Santa Clarita, CA 91351

(661) 296-7200

info@haydenmedical.com

www.haydenmedical.com